

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L1    | 2    | "6771623".pn.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/03/11<br>12:44 |
| L2    | 10   | gatekeeper same<br>bearer same channel   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/03/11<br>13:00 |
| L3    | 0    | re-establish\$5 near4<br>connection and<br>gatekeeper same<br>bearer same channel  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/03/11<br>13:05 |
| L4    | 0    | re-establish\$5 near4<br>call and gatekeeper<br>same bearer same<br>channel  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/03/11<br>13:05 |
| L5    | 26   | re-establish\$5 near4<br>call and gatekeeper   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/03/11<br>13:06 |
| L6    | 1    | 10/523879  | US-PGPUB;<br>USPAT; USOCR   | OR               | OFF     | 2008/03/11<br>13:41 |
| S1    | 2789 | (retriev\$5 receiv\$5)<br>near6 (mail e-mail e<br>\$5mail (electronic<br>near3 message)) near6<br>(in-part in\$5part<br>portion character<br>paragraph line) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2007/03/12<br>15:10 |

|    |     |  |   |    |    |                     |
|----|-----|--|---|----|----|---------------------|
| S2 | 426 | (retriev\$5 receiv\$5)<br>near6 (mail e-mail e<br>\$5mail (electronic<br>near3 message)) near6<br>(in-part in\$5part<br>portion character<br>paragraph line) same<br>(PDA smart phone<br>mobile)                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/13<br>14:01 |
| S3 | 446 | (retriev\$5 receiv\$5<br>request\$6) near6 (mail<br>e-mail e\$5mail<br>(electronic near3<br>message)) near6 (in-<br>part in\$5part portion<br>character paragraph<br>line) same (PDA smart<br>phone mobile)        | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/13<br>09:22 |
| S4 | 4   | (retriev\$5 request\$6)<br>near6 (mail e-mail e<br>\$5mail (electronic<br>near3 message)) near6<br>(preselect\$5<br>predetermin\$5) near8<br>(piece character<br>portion part) same<br>(PDA smart phone<br>mobile) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/12<br>15:33 |
| S5 | 8   | (retriev\$5 request\$6)<br>near6 (mail e-mail e<br>\$5mail (electronic<br>near3 message)) near6<br>(preselect\$5<br>predetermin\$5) near8<br>(piece character<br>portion part) and (PDA<br>smart phone mobile)     | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/12<br>16:37 |
| S6 | 10  | ("20010051896"  <br>"20020016199"  <br>"20020061778"  <br>"20030191816"  <br>"5697844").PN.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/12<br>15:36 |
| S7 | 4   | (adler near6 alfred)<br>and Motorola   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/12<br>16:37 |

|     |        |   |   |    |     |                     |
|-----|--------|---|---|----|-----|---------------------|
| S8  | 0      | WO9728518   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/03/13<br>06:36 |
| S9  | 0      | WO near4 "97" near4<br>"28518"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/03/13<br>06:36 |
| S10 | 2      | "6157630".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/10/10<br>10:16 |
| S11 | 8      | ("4833701"  <br>"5457680"   "5475689"<br>  "5949775"  <br>"5964833"   "6026292"<br>  "6061570"  <br>"6073165").PN.            | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/03/13<br>08:01 |
| S12 | 7      | ("20020138633"  <br>"20020147798"  <br>"20040204202"  <br>"20050066021"  <br>"20050188043"  <br>"6195686"  <br>"6938073").PN. | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/03/13<br>09:21 |
| S13 | 98498  | "455"/\$.ccls.  | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2007/03/13<br>09:21 |
| S14 | 120284 | "455"/\$.ccls.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/13<br>09:21 |
| S15 | 107964 | "370"/\$.ccls.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/03/13<br>09:21 |

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S16 | 200 | (retriev\$5 receiv\$5 request\$6) near6 (mail e-mail e\$5mail (electronic near3 message)) near6 (select\$5 desir\$5) near6 (component portion item attachment) and (PDA smart phone mobile)         | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 13:03 |
| S17 | 31  | (retriev\$5 receiv\$5 request\$6) near6 (mail e-mail e\$5mail (electronic near3 message)) near6 (select\$5 desir\$5) near6 (component portion item attachment) and (PDA smart phone mobile) and S13 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 09:25 |
| S18 | 31  | (retriev\$5 receiv\$5 request\$6) near6 (mail e-mail e\$5mail (electronic near3 message)) near6 (select\$5 desir\$5) near6 (component portion item attachment) and (PDA smart phone mobile) and S14 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 09:25 |
| S19 | 4   | (retriev\$5 receiv\$5 request\$6) near6 (mail e-mail e\$5mail (electronic near3 message)) near6 (select\$5 desir\$5) near6 (component portion item attachment) and (PDA smart phone mobile) and S15 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 09:25 |
| S20 | 1   | 09/734187   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 14:01 |

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S21 | 0   | (mail e-mail e\$5mail (electronic near3 message)) near4 server and mailbox same (allocat\$5 assign \$5 limited) near4 (storage memory) same (delet\$5 near5 (partial\$6) near5 Transmt\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 14:12 |
| S22 | 0   | (mail e-mail e\$5mail (electronic near3 message)) near4 server and mailbox same (allocat\$5 assign \$5 limited) near4 (storage memory) and (delet\$5 near5 (partial \$6) near5 Transmt\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 14:05 |
| S23 | 0   | mailbox same (allocat \$5 assign\$5 limited) near4 (storage memory) and (delet\$5 near5 (partial\$6) near5 Transmt\$5)   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 14:04 |
| S24 | 0   | (allocat\$5 assign\$5 limited) near4 (storage memory) and (delet\$5 near5 (partial\$6) near5 Transmt\$5)   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 14:05 |
| S25 | 0   | (delet\$5 near5 (partial \$6) near5 Transmt\$5)  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 14:05 |
| S26 | 0   | (mail e-mail e\$5mail (electronic near3 message)) near4 server and mailbox same (allocat\$5 assign \$5 limited) near4 (storage memory) same (delet\$5 near5 Transmt\$5)                    | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 14:05 |
| S27 | 222 | (mail e-mail e\$5mail (electronic near3 message)) near4 server and (delet\$5 near5 (transmt\$5 read transfer\$7) near5 message)  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/13 14:07 |

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S28 | 52  | (mail e-mail e\$5mail (electronic near3 message)) near4 server same (delet\$5 near5 (transmt\$5 read transfer\$7) near5 message)  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2007/03/13 14:07 |
| S29 | 3   | (mail e-mail e\$5mail (electronic near3 message)) near4 server and mailbox same (allocat\$5 assign \$5 limited) near4 (storage memory) same (free near4 (storage memory)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2007/03/13 14:13 |
| S30 | 8   | ("5506872"   "5930337"   "6073165"   "6282565"   "6324569"   "6396513"   "6421707"   "6941304").PN.   | US-PGPUB; USPAT; USOCR                                   | OR | OFF | 2007/03/13 14:15 |
| S31 | 1   | (hold) near5 (mail e-mail e\$5mail (electronic near3 message)) near6 (attachment) and mobile  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2007/10/09 14:24 |
| S32 | 521 | (mail e-mail e\$5mail (electronic near3 message)) near6 (attachment) same mobile  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2007/10/09 14:28 |
| S33 | 0   | hold same (mail e-mail e\$5mail (electronic near3 message)) near6 (attachment) same mobile  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2007/10/09 14:32 |
| S34 | 1   | (mail e-mail e\$5mail (electronic near3 message)) near6 (attachment) same predetermin\$5 near5 (character) and mobile   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2007/10/09 14:45 |
| S35 | 2   | "6684088".pn.   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2007/10/09 14:43 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| S36 | 1   | 10/483282   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/09<br>14:45 |
| S37 | 3   | "20040168055"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/09<br>14:45 |
| S38 | 49  | (mail e-mail e\$5mail<br>(electronic near3<br>message)) near6<br>predetermin\$5 near5<br>(character) and mobile | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/09<br>15:01 |
| S39 | 159 | (mail e-mail e\$5mail<br>(electronic near3<br>message)) same<br>predetermin\$5 near5<br>(character) and mobile  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/09<br>15:13 |
| S40 | 44  | (mail e-mail e\$5mail<br>(electronic near3<br>message)) same phase<br>same retriev\$8 and<br>mobile             | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/09<br>15:02 |
| S41 | 1   | 10/355468   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/09<br>15:13 |
| S42 | 2   | "7185061".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/10<br>10:21 |
| S43 | 4   | (MGCP megaco) same<br>install\$8 near6 protocol   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/10/10<br>10:21 |

|     |    |  |   |    |    |                     |
|-----|----|--|---|----|----|---------------------|
| S44 | 2  | "6157630".pn.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/06<br>16:18 |
| S45 | 0  | (PDA mobile) same<br>(indicate indication<br>indicating) same<br>remaining same (email<br>e-mail message) same<br>body same attachment | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/06<br>16:20 |
| S46 | 8  | (PDA mobile) and<br>(indicate indication<br>indicating) same<br>remaining same (email<br>e-mail message) same<br>body same attachment  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/06<br>16:20 |
| S47 | 9  | (indicate indication<br>indicating) same<br>remaining same (email<br>e-mail message) same<br>body same attachment                      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/06<br>16:29 |
| S48 | 35 | remaining same (email<br>e-mail message) same<br>body same attachment  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/06<br>16:30 |
| S49 | 2  | piece same retriev\$5<br>same (email e-mail<br>message) same body<br>same attachment   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>08:20 |
| S50 | 12 | (mobile PDA wireless<br>bandwidth) same<br>retriev\$5 same (email<br>e-mail message) same<br>body same attachment                      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>08:23 |
| S51 | 17 | select\$5 near9 retriev<br>\$5 same (email e-mail<br>message) same body<br>same attachment   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>08:23 |



|     |      |  |   |    |     |                     |
|-----|------|--|---|----|-----|---------------------|
| S52 | 8    | ("5128665"  <br>"5195086"   "5283887"<br>  "5406557"  <br>"5446880"   "5450071"<br>  "5613108"  <br>"5632018").PN. | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/03/10<br>08:44 |
| S53 | 5070 | select\$5 near9 retriev<br>\$5 same (email e-mail<br>message)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>08:45 |
| S54 | 145  | select\$5 near9 retriev<br>\$5 near9 (email e-mail<br>message) same (piece<br>partial parts part<br>phased)        | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>08:46 |
| S55 | 114  | select\$5 near9 (email<br>e-mail message) near6<br>(length character)<br>same (retriev\$8)                         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>08:49 |
| S56 | 201  | select\$5 near9 (email<br>e-mail message) near6<br>(portion) same (retriev<br>\$8)                                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>09:14 |
| S57 | 86   | select\$5 near9 (email<br>e-mail message) near6<br>(portion) near10(retriev<br>\$8)                                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>09:14 |
| S58 | 86   | select\$5 near9 (email<br>e-mail message) near6<br>(portion chunk) near10<br>(retriev\$8)                          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>09:15 |
| S59 | 7    | select\$5 near9 (email<br>e-mail) near6 (portion<br>chunk) near10(retriev<br>\$8)                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>09:23 |

|     |       |  |   |    |    |                     |
|-----|-------|--|---|----|----|---------------------|
| S60 | 0     | select\$5 near9 (email e-mail) near6 (segment) near10 (retriev\$8)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>10:32 |
| S61 | 461   | select\$5 near9 (email e-mail) near10(retriev \$8)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>10:32 |
| S62 | 306   | (email e-mail) near10 (retriev\$8) with (segment chunk portion parts phased)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>10:36 |
| S63 | 166   | (email e-mail) near10 (retriev\$8) with (segment chunk portion piece phased)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>10:38 |
| S64 | 87    | select\$5 near8 receiv \$5 near6 (email e-mail (electronic adj message) (electronic adj mail)) near10 (segment chunk portion piece phased)         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>10:43 |
| S65 | 1     | 11/432991  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>10:47 |
| S66 | 1     | select\$5 near8 receiv \$5 near6 (email e-mail (electronic adj message) (electronic adj mail)) near10 (segment chunk portion piece phased) and S65 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>10:48 |
| S67 | 62012 | "709"/\$.ocls.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/10<br>14:33 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S68 | 66  | select\$5 near8 receiv<br>\$5 near6 (email e-mail<br>(electronic adj<br>message) (electronic<br>adj mail)) near10<br>portion                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>14:33 |
| S69 | 77  | request\$5 near6 (email<br>e-mail (electronic adj<br>message) (electronic<br>adj mail)) near10<br>portion and S67                           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>14:46 |
| S70 | 2   | "6427165".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>14:57 |
| S71 | 3   | ("5278984"  <br>"5333247"  <br>"5548789").PN.   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/03/10<br>15:21 |
| S72 | 1   | "20060080393"   | US-PGPUB;<br>USPAT; USOCR   | OR | OFF | 2008/03/10<br>15:40 |
| S73 | 346 | (deriv\$5 generat\$5<br>creat\$5 produce extract<br>\$5) near6 (mail\$9)<br>near5 (data list) same<br>(recipient "to") near6<br>(list data) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>15:46 |
| S74 | 161 | (deriv\$5 generat\$5<br>creat\$5 produce extract<br>\$5) near6 (mail\$9)<br>near5 (list) same<br>(recipient "to") near6<br>(list)           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>15:48 |
| S75 | 146 | (generat\$5 creat\$5)<br>near6 (mail\$9) near5<br>(list) same (recipient<br>"to") near6 (list)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>15:49 |
| S76 | 34  | (email e-mail<br>(electronic adj<br>message) (electronic<br>adj mail)) same list adj<br>generator   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/10<br>16:04 |

3/ 11/ 2008 1:42:03 PM

C:\ Documents and Settings\ apatel3\ My Documents\ EAST\ Workspaces\ 10523879.wsp